

## CERTIFICATE OF ANALYSIS POTENCY

NO IMAGE AVAILABLE Voxtract 208 Parker Avenue Durango, Colorado 81303

403H-80533.61

Name: Type: ID: Batch ID: METRC Tag: PR4 Topical 210802404.21131 PR4 1A4000D00039211000000885

RECEIVED: 08/24/2021

T<mark>ESTED: 08/24/2021</mark>

REPORTED: 08/25/2021

ANALYTE         LOD         LOQ         MU         AMOUNT         AMOUNT         LABEL         STATUS           %         %         mg/unit         %         mg/unit         mg/unit         mg/unit           THCa         0.0015         0.003         0.000 <lod< td=""> <lod< td="">         -         TESTED           D9-THC         0.0015         0.003         0.000         <lod< td=""> <lod< td="">         -         TESTED           D8-THC         0.0015         0.003         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBDa         0.0015         0.003         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBDa         0.0015         0.003         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBDA         0.0015         0.003         0.430         0.428         4.33         5         PASS           CBDV         0.0005         0.001         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBDV         0.0005         0.001         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBGa         0.0005         0.001</lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<>								
THCa         0.0015         0.003         0.000 <lod< th=""> <lod< th="">         -         TESTED           D9-THC         0.0015         0.003         0.000         <lod< td=""> <lod< td="">         -         TESTED           D8-THC         0.0015         0.003         0.000         <lod< td=""> <lod< td="">         -         TESTED           D8-THC         0.0015         0.003         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBDa         0.0015         0.003         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBD         0.0015         0.003         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBD         0.0015         0.003         0.430         0.428         4.3         5         PASS           CBDVa         0.0005         0.001         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBN         0.0005         0.001         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBGa         0.0005         0.001         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBGa         0.0005</lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<>	ANALYTE	LOD	LOQ	MU	AMOUNT	AMOUNT	LABEL	STATUS
D9-THC         0.0015         0.003         0.000 <lod< th=""> <lod< th="">         -         TESTED           D8-THC         0.0015         0.003         0.000         <lod< td=""> <lod< td="">         -         TESTED           D8-THC         0.0015         0.003         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBDa         0.0015         0.003         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBD         0.0015         0.003         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBD         0.0015         0.003         0.430         0.428         4.3         5         PASS           CBDVa         0.0005         0.001         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBDV         0.0005         0.001         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBGa         0.0005         0.001         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBGa         0.0005         0.001         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBCa         0.0005</lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<>		%	%	mg/unit	%	mg/unit	mg/unit	
D8-THC         0.0015         0.003         0.000 <lod< th=""> <lod< th="">         -         TESTED           CBDa         0.0015         0.003         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBDa         0.0015         0.003         0.430         0.428         4.3         5         PASS           CBDVa         0.0005         0.001         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBDV         0.0005         0.001         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBDV         0.0005         0.001         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBN         0.0005         0.001         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBGa         0.0005         0.001         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBGa         0.0005         0.001         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBGa         0.0005         0.001         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBCa         0.0005         &lt;</lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<>	THCa	0.0015	0.003	0.000	<lod< th=""><th><lod< th=""><th>-</th><th>TESTED</th></lod<></th></lod<>	<lod< th=""><th>-</th><th>TESTED</th></lod<>	-	TESTED
CBDa         0.0015         0.003         0.000 <lod< th=""> <lod< th="">         -         TESTED           CBD         0.0015         0.003         0.430         0.428         4.3         5         PASS           CBDVa         0.0005         0.001         0.000         <lod< th=""> <lod< th="">         -         TESTED           CBDV         0.0005         0.001         0.000         <lod< th=""> <lod< th="">         -         TESTED           CBDV         0.0005         0.001         0.000         <lod< th=""> <lod< th="">         -         TESTED           CBN         0.0005         0.001         0.000         <lod< th=""> <lod< th="">         -         TESTED           CBA         0.0005         0.001         0.000         <lod< th=""> <lod< th="">         -         TESTED           CBGa         0.0005         0.001         0.000         <lod< th=""> <lod< th="">         -         TESTED           CBGa         0.0005         0.001         0.000         <lod< th=""> <lod< th="">         -         TESTED           CBCa         0.0005         0.001         0.000         <lod< th=""> <lod< th="">         -         TESTED           CBL         0.0005         0.</lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<>	D9-THC	0.0015	0.003	0.000	<lod< th=""><th><lod< th=""><th>-</th><th>TESTED</th></lod<></th></lod<>	<lod< th=""><th>-</th><th>TESTED</th></lod<>	-	TESTED
CBD         0.0015         0.003         0.430         0.428         4.3         5         PASS           CBDVa         0.0005         0.001         0.000 <lod< td=""> <lod< td="">         -         TESTED           CBDV         0.0005         0.001         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBDV         0.0005         0.001         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBN         0.0005         0.001         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBGa         0.0005         0.001         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBGa         0.0005         0.001         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBGa         0.0005         0.001         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBCa         0.0005         0.001         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBL         0.0005         0.001         0.000         <lod< td=""> <lod< td="">         -         TESTED  </lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<>	D8-THC	0.0015	0.003	0.000	<lod< th=""><th><lod< th=""><th>-</th><th>TESTED</th></lod<></th></lod<>	<lod< th=""><th>-</th><th>TESTED</th></lod<>	-	TESTED
CBDVa         0.0005         0.001         0.000 <l0d< th=""> <l0d< th="">         -         TESTED           CBDV         0.0005         0.001         0.000         <l0d< td=""> <l0d< td="">         -         TESTED           CBN         0.0005         0.001         0.000         <l0d< td=""> <l0d< td="">         -         TESTED           CBA         0.0005         0.001         0.000         <l0d< td=""> <l0d< td="">         -         TESTED           CBGa         0.0005         0.001         0.000         <l0d< td=""> <l0d< td="">         -         TESTED           CBG         0.0005         0.001         0.000         <l0d< td=""> <l0d< td="">         -         TESTED           CBG         0.0005         0.001         0.000         <l0d< td=""> <l0d< td="">         -         TESTED           CBCa         0.0005         0.001         0.000         <l0d< td=""> <l0d< td="">         -         TESTED           CBL         0.0005         0.001         0.000         <l0d< td=""> <l0d< td="">         -         TESTED</l0d<></l0d<></l0d<></l0d<></l0d<></l0d<></l0d<></l0d<></l0d<></l0d<></l0d<></l0d<></l0d<></l0d<></l0d<></l0d<></l0d<></l0d<>	CBDa	0.0015	0.003	0.000	<lod< th=""><th><lod< th=""><th>-</th><th>TESTED</th></lod<></th></lod<>	<lod< th=""><th>-</th><th>TESTED</th></lod<>	-	TESTED
CBDV         0.0005         0.001         0.000 <lod< th=""> <lod< th="">         -         TESTED           CBN         0.0005         0.001         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBGa         0.0005         0.001         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBGa         0.0005         0.001         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBG         0.0005         0.001         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBG         0.0005         0.001         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBCa         0.0005         0.001         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBC         0.0005         0.001         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBL         0.0005         0.001         0.000         <lod< td=""> <lod< td="">         -         TESTED</lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<>	CBD	0.0015	0.003	0.430	0.428	4.3	5	PASS
CBN         0.0005         0.001         0.000 <l0d< th=""> <l0d< th="">         -         TESTED           CBGa         0.0005         0.001         0.000         <l0d< td=""> <l0d< td="">         -         TESTED           CBG         0.0005         0.001         0.000         <l0d< td=""> <l0d< td="">         -         TESTED           CBG         0.0005         0.001         0.000         <l0d< td=""> <l0d< td="">         -         TESTED           CBCa         0.0005         0.001         0.000         <l0d< td=""> <l0d< td="">         -         TESTED           CBC         0.0005         0.001         0.000         <l0d< td=""> <l0d< td="">         -         TESTED           CBL         0.0005         0.001         0.000         <l0d< td=""> <l0d< td="">         -         TESTED</l0d<></l0d<></l0d<></l0d<></l0d<></l0d<></l0d<></l0d<></l0d<></l0d<></l0d<></l0d<></l0d<></l0d<>	CBDVa	0.0005	0.001	0.000	<lod< th=""><th><lo<mark>D</lo<mark></th><th></th><th>TESTED</th></lod<>	<lo<mark>D</lo<mark>		TESTED
CBGa         0.0005         0.001         0.000 <lod< th=""> <lod< th="">         -         TESTED           CBG         0.0005         0.001         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBGa         0.0005         0.001         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBCa         0.0005         0.001         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBC         0.0005         0.001         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBL         0.0005         0.001         0.000         <lod< td=""> <lod< td="">         -         TESTED</lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<>	CBDV	0.0005	0.001	0.000	<lod< th=""><th><lod< th=""><th>-</th><th>TESTED</th></lod<></th></lod<>	<lod< th=""><th>-</th><th>TESTED</th></lod<>	-	TESTED
CBG         0.0005         0.001         0.000 <lod< th=""> <lod< th="">         -         TESTED           CBCa         0.0005         0.001         0.000         <lod< th=""> <lod< th="">         -         TESTED           CBC         0.0005         0.001         0.000         <lod< th=""> <lod< th="">         -         TESTED           CBC         0.0005         0.001         0.000         <lod< th=""> <lod< th="">         -         TESTED           CBL         0.0005         0.001         0.000         <lod< th=""> <lod< th="">         -         TESTED</lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<></lod<>	CBN	0.0005	0.001	0.000	<lod< th=""><th><lod< th=""><th>-</th><th>TESTED</th></lod<></th></lod<>	<lod< th=""><th>-</th><th>TESTED</th></lod<>	-	TESTED
CBCa         0.0005         0.001         0.000 <lod< th=""> <lod< th="">         -         TESTED           CBC         0.0005         0.001         0.000         <lod< td=""> <lod< td="">         -         TESTED           CBL         0.0005         0.001         0.000         <lod< td=""> <lod< td="">         -         TESTED</lod<></lod<></lod<></lod<></lod<></lod<>	CBGa	0.0005	0.001	0.000	<lod< th=""><th><lod< th=""><th>-</th><th>TESTED</th></lod<></th></lod<>	<lod< th=""><th>-</th><th>TESTED</th></lod<>	-	TESTED
CBC         0.0005         0.001         0.000 <lod< th=""> <lod< th="">         -         TESTED           CBL         0.0005         0.001         0.000         <lod< td=""> <lod< td="">         -         TESTED</lod<></lod<></lod<></lod<>	CBG	0.0005	0.001	0.000	<lod< th=""><th><lod< th=""><th>-</th><th>TESTED</th></lod<></th></lod<>	<lod< th=""><th>-</th><th>TESTED</th></lod<>	-	TESTED
CBL         0.0005         0.001         0.000 <lod< th=""> <lod< th="">         -         TESTED</lod<></lod<>	CBCa	0.0005	0.001	0.000	<lod< th=""><th><lod< th=""><th>-</th><th>TESTED</th></lod<></th></lod<>	<lod< th=""><th>-</th><th>TESTED</th></lod<>	-	TESTED
	CBC	0.0005	0.001	0.000	<lod< th=""><th>&lt; LOD</th><th>- 7</th><th>TESTED</th></lod<>	< LOD	- 7	TESTED
Sum of Measured Cannabinoids* 0.428 4.300	CBL	0.0005	0.001	0.000	<lod< th=""><th><lod< th=""><th>-</th><th>TESTED</th></lod<></th></lod<>	<lod< th=""><th>-</th><th>TESTED</th></lod<>	-	TESTED
	Sum	of Measured	d Cannabino	oids*	0.428	<mark>4.300</mark>		

LOD = Limit of Detection, LOQ = Limit of Quantification, ND = Not Detected, MU = Measurement uncertainty, NR = Not Reported \*Sum of measured cannabinoids is the sum of all quantified cannabinoids.

## NOTES AND INTERPRETATIONS

Analyzed via AAM-001 using Agilent 1220 HPLC-DAD. Limits are based on CO 1 CCR 212-3. Sample was analyzed as received. Deviations from SOP: None.



Unit : 1 gram |Units Per Package :1

Analyte	Total*			
Total THC	<lod< th=""></lod<>			
Total CBD	4.30 mg/unit			
Total CBG	<lod< th=""></lod<>			
Total CBDV	<lod< th=""></lod<>			

\*Total is the sum of the neutral (active) cannabinoid and the completely converted acidic cannabinoid

Josh Joro

Results Analyzed By: Tyler Dorsey Associate Chemist

Results Approved By: Luke Mason, MS Lab Director





Aurum Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This certificate shall not be modified – Scan QR code to verify authenticity

208 PARKER AVENUE SUITE A | DURANGO, CO 81303 (970) 422-1867 | 405-00005 | 405R-00016 | AURUM-LABS.COM

